

Rivetti MULTIGRIPRIV TT

MULTIGRIPRIV blind rivets

MGAFT

02500

Corpo in alluminio


Aluminium body






Chiodo in acciaio


Steel mandrel

Testa tonda

Dome head



d		L	L ₁	T	k	SS			Tipo	Codice		
mm	mm	mm	mm	mm	max	mm	N	N	Model	Item code	pz	pz
3.0	3.1	8.0		6.3	1.00	1.0 ÷ 5.5	700	950	MGAFT30008	3130600	1000N	10000
3.2	3.3	8.0		6.3	1.00	0.8 ÷ 4.8	740	950	MGAFT32008	0092600	1000N	10000
		9.5				1.2 ÷ 6.4			MGAFT32009	0092700	1000P	10000
		11.1				4.0 ÷ 7.9			MGAFT32011	0092800	1000P	10000
		12.7				5.0 ÷ 9.5			MGAFT32012	2885300	1000P	9000
4.0	4.1	7.0		8.0	1.35	0.5 ÷ 3.5	1000	1500	MGAFT40007	4834800	1000P	6000
		9.5				1.2 ÷ 6.4			MGAFT40009	0092900	1000P	6000
		12.7				4.0 ÷ 9.5			MGAFT40012	0093000	1000P	6000
		16.9				6.4 ÷ 12.7			MGAFT40016	0093200	500N	5000
4.8	5.0	10.3		9.5	1.50	1.6 ÷ 6.4	1500	2000	MGAFT48010	0093300	500P	5000
		15.1				4.8 ÷ 11.1			MGAFT48015	0093400	500P	4000
		16.9				6.4 ÷ 12.7			MGAFT48016	0093500	500P	3000
		24.8				12.7 ÷ 19.8			MGAFT48024	0093600	250N	2500



Applicazione:

La testa del chiodo comprime la boccia ottenendo così un serraggio a compressione e non a dilatazione, come avviene nei rivetti standard. L'ampio range dello spessore di serraggio di questi rivetti consente di rivettare con una sola lunghezza più spessori ed essere applicati su fori di ampia tolleranza. La testa del chiodo non salta mai via; è indicato per rivettare scatolati, parti soggette a vibrazioni, particolari materiali in alluminio, plastica, resina: non deforma questi tipi di materiali.

Application:

The head of the mandrel compresses the body of the blind rivet so that the fixing is obtained through compression and not expansion as it happens with standard blind rivets. The wide Jawing capacity of this blind rivet makes it possible to use the same length for riveting a wider range of thicknesses and to have a higher hole tolerance. The head of the mandrel never breaks. This blind rivet is recommended for riveting boxes, parts subject to vibrations, special parts in aluminium, plastic and resin as it doesn't warp these models of material.



Multiriv su metallo

Multiriv on sheet metal